

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing	: 22/05/2022	Date of compilation: 06/10/2015	Revised: 14/03/2022	Version: 4 (Replaced 3)		
SEC	TION 1: IDEN	TIFICATION OF THE SUBSTAN	CE/MIXTURE AND OF	THE COMPANY/UNDERTAKING		
1.1	Product identifie	er: Unidentified substance				
	CAS:	Non-applicable				
	EC:	Non-applicable				
	Index:	Non-applicable				
	REACH:	Non-applicable				
	Other means of	identification:				
	Non-applicable					
1.2	Relevant identif	ied uses of the substance or mixture a	and uses advised against:			
Relevant uses: Lubricant (grease)						
Uses advised against: All uses not specified in this section or in section 7.3						
1.3	Details of the su	upplier of the safety data sheet:				
	Matrix Specialty Lubricants					
	Typograaf 16 6921 VB Duiver	n - The Netherlands				
	Phone: +31316					
	lab@matrix-lub	icants.com				
	•	trix-lubricants.com				
1.4	Emergency tele	phone number: 0300 311 22 33 Onl	ly for professional emergenc	y responders		
050						
SEC	TION 2: HAZA	RDS IDENTIFICATION **				
2.1	Classification of	f the substance or mixture:				
	CLP Regulation	i (EC) No 1272/2008:				
	The product is	not classified as hazardous according	to CLP Regulation (EC) No	1272/2008.		
2.2	Label elements					
	CI D Degulation	(EC) No 1272/2008				

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Chemical description: Miscellaneous products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing: 22/05/2022 Date	of compilation: 06/10/2015	Revised: 14/03/2022	Version: 4 (Replaced 3)			
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)						
Identification		Chemical name/Classification		Concentration		
CAS: Non-applicable	Unidentified substance		Not classified			
EC: Non-applicable Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008			70 - <100 %		
To obtain more informa	To obtain more information on the hazards of the substances consult sections 11, 12 and 16.					

3.2 Mixture:

Non-applicable

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing:	22/05/2022 Date of compilation: 06/10/2015 Revised: 14/03/2022 Version: 4 (Replaced 3)
SEC	TION 6: ACCIDENTAL RELEASE MEASURES
6.1	Personal precautions, protective equipment and emergency procedures:
	For non-emergency personnel:
	Isolate leaks provided that there is no additional risk for the people performing this task.
	For emergency responders:
	See section 8.
6.2	Environmental precautions:
	This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.
6.3	Methods and material for containment and cleaning up:
	It is recommended:
	Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal
6.4	Reference to other sections:
	See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Maximum time: 36 Months
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



3)

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

C	TION 8: EXPOSU	RE CONTROLS/PE	RSONAL PRO	OTECTION (continue	d)		
	PNEC:						
	Non-applicable						
	Exposure controls:						
	A Individual protect	tion measures, such a	s personal protec	tive equipment			
	marking>> in ac use, cleaning, m information see the labour risk p B Respiratory prot	cordance with Regulati aintenance, class of pr subsection 7.1. All info revention services as it ection	on (EU) 2016/425 rotection,) cons prmation containe t is not known who	5. For more information of ult the information leafle d herein is a recommend ether the company has a	Equipment, with the corresponding < <ce on Personal Protective Equipment (storage t provided by the manufacturer. For more dation which needs some specification from additional measures at its disposal.</ce 		
	-		e necessary if a m	list forms or if the occupa	ational exposure limits are exceeded.		
	C Specific protection						
	Pictogram	PPE	Labelling	CEN Standard	Remarks		
	Mandatory hand protection	Protective gloves again minor risks	st CAT I		Replace gloves in case of any sign of damage. prolonged periods of exposure to the product professional users/industrials, we recommend u CE III gloves in line with standards EN 420:20 A1:2010 and EN ISO 374-1:2016+A1:2016		
	D Eye and face pro	otection	-				
	Pictogram	PPE	Labelling	CEN Standard	Remarks		
	Mandatory face protection	Panoramic glasses agai splash/projections.	nst CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically accordin the manufacturer's instructions. Use if there i risk of splashing.		
	E Body protection						
	Pictogram	PPE	Labelling	CEN Standard	Remarks		
		Work clothing	CATI		Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulati in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.		
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulati in EN ISO 20345:2012 y EN 13832-1:2007		
	F Additional emerg	gency measures	•	-	· · · · · · · · · · · · · · · · · · ·		
	It is not necessa	ry to take additional en	nergency measur	es.			
	Environmental expo	sure controls:					
	In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds:						
	-			llowing characteristics:			
	V.O.C. (Supply):		% weight				
	V.O.C. density a	t 25 °C: 0	kg/m³ (0 g/L)				
	Average carbon	number: N	on-applicable				
	Average molecu	lar weight: N	on-applicable				



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

nting	22/05/2022	Date of compilation: 06/10/2015	Revised: 14/03/2022	Version: 4 (Replaced 3)			
SEC	TION 9: PHYS	SICAL AND CHEMICAL PROPER	RTIES				
9.1	Information on basic physical and chemical properties:						
	For complete in	nformation see the product datasheet.					
	Appearance:						
	Physical state	at 20 °C:	Solid				
	Appearance:		Greasy				
	Colour:		lvory				
	Odour:		Characteristic				
	Odour thresho	ld:	Non-applicable *				
	Volatility:						
	Boiling point at	atmospheric pressure:	300 °C				
	Vapour pressu	re at 25 °C:	Non-applicable *				
	Vapour pressu	re at 50 °C:	Non-applicable *				
	Evaporation ra	te at 25 °C:	Non-applicable *				
	Product descri	ption:					
	Density at 25 °	C:	869 kg/m³				
	Relative densit	y at 25 ⁰C:	Non-applicable *				
	Dynamic visco	sity at 25 °C:	Non-applicable *				
	Kinematic visc	osity at 25 °C:	Non-applicable *				
	Kinematic visc	osity at 40 °C:	Non-applicable *				
	Concentration:		Non-applicable *				
	pH:		Non-applicable *				
	Vapour density	v at 25 ℃:	Non-applicable *				
	Partition coefficient	cient n-octanol/water 25 °C:	Non-applicable *				
	Solubility in wa	iter at 25 °C:	Non-applicable *				
	Solubility prope	erties:	Insoluble				
	Decomposition	temperature:	Non-applicable *				
	Melting point/fr	eezing point:	Non-applicable *				
	Flammability:						
	Flash Point:		>180 °C				
	Flammability (s	solid, gas):	Non-applicable *				
	Autoignition ter	mperature:	Non-applicable *				
	Lower flammal	pility limit:	Non-applicable *				
	Upper flammal	pility limit:	Non-applicable *				
	Explosive (Soli	id):					
	Lower explosiv	re limit:	Non-applicable *				
	Upper explosiv	re limit:	Non-applicable *				
	Particle charac	teristics:					
	Median equiva	lent diameter:	Non-applicable *				
9.2	Other informat	ion:					
	Information wit	h regard to physical hazard classes:					
	Explosive prop		Non-applicable *				
	Oxidising prop		Non-applicable *				
		to the nature of the product, not providing inforr					

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing: 22/05/2022	Date of compilation: 06/10/2015	Revised: 14/03/2022	Version: 4 (Replaced 3)
SECTION 9: PHYS	SICAL AND CHEMICAL PROPER	RTIES (continued)	
Corrosive to m	etals:	Non-applicable *	
Heat of combu	stion:	Non-applicable *	
Aerosols-total components:	percentage (by mass) of flammable	Non-applicable *	
Other safety cl	naracteristics:		
Surface tensio	n at 25 °C:	Non-applicable *	
Refraction inde	ex:	Non-applicable *	
*Not relevant due	to the nature of the product, not providing inform	nation property of its hazards.	

SEC	HON 10: STADIENT AND REACTIVITY
10.1	Reactivity:
	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.
10.2	Chemical stability:
	Chemically stable under the indicated conditions of storage, handling and use.
10.3	Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

LD50 oral > 2000 mg/kg (rat)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met
- Corrosivity/Irritability: Based on available data, the classification criteria are not met
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met
 - Contact with the eyes: Based on available data, the classification criteria are not met

- CONTINUED ON NEXT PAGE -



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing:	22/05/2022	Date of compilation: 06/10/2015	Revised: 14/03/2022	Version: 4 (Replaced 3)				
SEC	TION 11: TO	(ICOLOGICAL INFORMATION (co	ontinued)					
	D- CMR effect	ts (carcinogenicity, mutagenicity and toxi	city to reproduction):					
	IARC: No - Mutager	genicity: Based on available data, the cla on-applicable nicity: Based on available data, the classi active toxicity: Based on available data, the effects:	ification criteria are not me	t				
	- Skin: Ba	 Respiratory: Based on available data, the classification criteria are not met Skin: Based on available data, the classification criteria are not met F- Specific target organ toxicity (STOT) - single exposure: 						
	Based on available data, the classification criteria are not met							
	G- Specific target organ toxicity (STOT)-repeated exposure:							
	 Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met Skin: Based on available data, the classification criteria are not met H- Aspiration hazard: 							
	Based on available data, the classification criteria are not met							
	Other informat	ion:						
	Non-applicable	9						
	Specific toxicol	logy information on the substances:						
	Not available							
11.2	Information on	other hazards:						
	Endocrine disr	upting properties						
	Endocrine-disr	upting properties: The product fails to me	eet the criteria.					
	Other informati	ion						
	Non-applicable	3						
SEC	TION 12: ECC	DLOGICAL INFORMATION						

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing:	22/05/2022	Date of compilation: 06/10/2015	Revised: 14/03/2022	Version: 4 (Replaced 3)
SEC	TION 12: ECO	LOGICAL INFORMATION (conti	inued)	
	Not available			
12.2	Persistence and	l degradability:		
	Not available			
12.3	Bioaccumulative	e potential:		
	Not available			
12.4	Mobility in soil:			
	Not available			
12.5	Results of PBT	and vPvB assessment:		
	Product fails to	meet PBT/vPvB criteria		
12.6	Endocrine disru	pting properties:		
	Endocrine-disru	pting properties: The product fails to n	neet the criteria.	
12.7	Other adverse e	effects:		
	Not described			

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing: 22/05/2022	Date of compilation: 06/10	0/2015 Rev	/ised: 14/03/2022	Version: 4 (Replaced 3)
SECTION 14:	TRANSPORT INFORMATIC	ON (continued)		
14.1	UN number or ID number:	Non-applicable		
14.2	UN proper shipping name:	Non-applicable		
14.3	Transport hazard class(es):	Non-applicable		
	Labels:	Non-applicable		
14.4	Packing group:	Non-applicable		
14.5	Environmental hazards:	No		
14.6	Special precautions for user			
	Special regulations:	Non-applicable		
	Tunnel restriction code:	Non-applicable		
	Physico-Chemical properties:	see section 9		
	Limited quantities:	Non-applicable		
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable		
Transpor	t of dangerous goods by sea:			
With rega	ard to IMDG 39-18:			
14.1	UN number or ID number:	Non-applicable		
14.2	UN proper shipping name:	Non-applicable		
14.3	Transport hazard class(es):	Non-applicable		
	Labels:	Non-applicable		
14.4	Packing group:	Non-applicable		
14.5	Marine pollutant:	No		
14.6	Special precautions for user			
	Special regulations:	Non-applicable		
	EmS Codes:			
	Physico-Chemical properties:	see section 9		
	Limited quantities:	Non-applicable		
	Segregation group:	Non-applicable		
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable		
Transpor	t of dangerous goods by air:			
With rega	ard to IATA/ICAO 2022:			
14.1	UN number or ID number:	Non-applicable		
14.2	UN proper shipping name:	Non-applicable		
14.3	Transport hazard class(es):	Non-applicable		
	Labels:	Non-applicable		
14.4	Packing group:	Non-applicable		
14.5	Environmental hazards:	No		
14.6	Special precautions for user			
	Physico-Chemical properties:	see section 9		
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

- CONTINUED ON NEXT PAGE -




Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

nting:	2/05/2022Date of compilation: 06/10/2015Revised: 14/03/2022Version: 4 (Replaced 3)						
SEC	ION 15: REGULATORY INFORMATION (continued)						
	Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable						
	Article 95, REGULATION (EU) No 528/2012: Non-applicable						
	REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable						
	Seveso III:						
	Non-applicable						
	Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):						
	Non-applicable						
	Specific provisions in terms of protecting people or the environment:						
	It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product. Other legislation:						
	The product could be affected by sectorial legislation						
15.2	Chemical safety assessment:						
10.2	The supplier has not carried out evaluation of chemical safety.						
	L egislation related to safety data sheets: The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sh nas been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2						
	(COMMISSION REGULATION (EU) 2020/878).						
	Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:						
	COMMISSION REGULATION (EU) 2020/878 CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):						
	· Precautionary statements						
	Texts of the legislative phrases mentioned in section 3:						
	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3						
	CLP Regulation (EC) No 1272/2008:						
	Non-applicable						
	Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension an						
	interpretation of this safety data sheet, as well as the label on the product.						
	Principal bibliographical sources:						
	http://echa.europa.eu						
	http://ecna.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms:						



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation

Foodmax Grease ALU M 0 - Foodgrade Aluminium complex grease

Printing: 22/05/2022	Date of compilation: 06/10/2015	Revised: 14/03/2022	Version: 4 (Replaced 3)					
SECTION 16: OTHER INFORMATION (continued)								
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code								
IATA: International Air Transport Association								
ICAO: Interna	ICAO: International Civil Aviation Organisation							
COD: Chemic	COD: Chemical Oxygen Demand							
BOD5: 5day b	BOD5: 5day biochemical oxygen demand							
BCF: Bioconcentration factor								
LD50: Lethal Dose 50								
LC50: Lethal Concentration 50								
EC50: Effective concentration 50								
LogPOW: Octanolwater partition coefficient								
Koc: Partition coefficient of organic carbon								
UFI: unique formula identifier								
IARC: Internat	tional Agency for Research on Cancer							

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -